

SPECIFICATION CHARTS

GASOLINE ENGINE TUNE-UP SPECIFICATIONS											
Year	Engine ID/VIN	Engine Displacement (Liters (cc))	Spark Plugs Gap (in.)	Ignition Timing (deg.)		Fuel Pump (psi)	Idle Speed (rpm)		Valve Clearance		
				MT	AT		MT	AT	In.	Ex.	
1986	U	5.5 (2800)	0.344	10B	1 10	38-47	725	650	HYD	HYD	
	U	5.0 (2800)	0.344	-	1 10	38-45	-	620	HYD	HYD	
1987	U	5.5 (2800)	0.344	10B	1 10	38-47	725	650	HYD	HYD	
	U	5.0 (2800)	0.344	-	1 10	38-45	-	620	HYD	HYD	
1988	D	5.0 (2800)	0.344	10B	1 00	38-47	725	650	HYD	HYD	
	U	5.0 (2800)	0.344	-	1 00	38-45	-	620	HYD	HYD	
	Z	5.0 (2800)	0.344	-	1 00	38-45	-	650	HYD	HYD	
	U	5.0 (2800)	0.344	10B	1 00	38-45	725	650	HYD	HYD	
1989	D	5.0 (2800)	0.344	10B	1 00	38-45	725	650	HYD	HYD	
	U	5.0 (2800)	0.344	-	1 00	38-45	-	650	HYD	HYD	
	Y	5.0 (2800)	0.344	10B	-	30-39	650	-	0.006-0.010	0.014	
	Z	5.0 (2800)	0.344	-	1 0B	38-45	-	650	HYD	HYD	
1990	B	5.0 (2800)	0.344	10B	1 0B	38-45	725	650	HYD	HYD	
	U	5.0 (2800)	0.344	-	1 0B	38-45	-	620	HYD	HYD	
	Y	5.0 (2800)	0.344	10B	-	36-39	650	-	0.006-0.010	0.014	
	Z	5.0 (2800)	0.344	-	1 0B	38-45	-	650	HYD	HYD	
1991	U	5.5 (2800)	0.344	10B	1 0B	48-53	725	650	HYD	HYD	
	U	5.0 (2800)	0.344	-	1 0B	38-45	-	620	HYD	HYD	
	Y	5.0 (2800)	0.344	10B	-	36-39	650	-	0.006-0.010	0.014	
	Z	5.0 (2800)	0.344	-	1 0B	38-45	-	650	HYD	HYD	
1992	U	5.0 (2800)	0.344	-	1 0B	38-49	-	625	HYD	HYD	
	Y	5.0 (2800)	0.344	10B	-	38-45	720	-	0.006-0.010	0.014	
	Z	5.0 (2800)	0.344	-	1 0B	38-49	-	650	HYD	HYD	
1993	U	5.0 (2800)	0.344	10B	1 0B	38-45	-	625	HYD	HYD	
	Y	5.0 (2800)	0.344	10B	-	30-46	650	-	0.006-0.010	0.014	
	Z	5.0 (2800)	0.344	-	1 0B	38-45	-	650	HYD	HYD	
	Y	5.0 (2800)	0.344	-	1 0B	38-45	-	650	HYD	HYD	
1994	U	5.0 (2800)	0.344	-	1 0B	38-45	-	620	HYD	HYD	
	Y	5.0 (2800)	0.344	10B	-	36-39	650	-	0.006-0.010	0.014	
	Z	5.0 (2800)	0.344	-	1 0B	38-49	-	720	HYD	HYD	
	Y	5.0 (2800)	0.344	-	1 0B	38-45	-	620	HYD	HYD	
1995	U	5.0 (2800)	0.344	-	1 0B	38-45	-	620	HYD	HYD	
	Y	5.0 (2800)	0.344	10B	-	36-39	650	-	0.006-0.010	0.014	
	Z	5.0 (2800)	0.344	-	1 0B	38-45	-	620	HYD	HYD	
	Y	5.0 (2800)	0.344	-	1 0B	38-45	-	620	HYD	HYD	

* 10B: 10 degree BTDC
 * 10A: 10 degree ATDC
 * 10C: 10 degree before top dead center
 * 10D: 10 degree after top dead center
 * 10E: 10 degree before bottom dead center
 * 10F: 10 degree after bottom dead center
 * 10G: 10 degree before top dead center, 10 degree after bottom dead center
 * 10H: 10 degree after top dead center, 10 degree before bottom dead center
 * 10I: 10 degree before top dead center, 10 degree before bottom dead center
 * 10J: 10 degree after top dead center, 10 degree after bottom dead center
 * 10K: 10 degree before top dead center, 10 degree after bottom dead center
 * 10L: 10 degree after top dead center, 10 degree before bottom dead center
 * 10M: 10 degree before top dead center, 10 degree after bottom dead center
 * 10N: 10 degree after top dead center, 10 degree before bottom dead center
 * 10O: 10 degree before top dead center, 10 degree before bottom dead center
 * 10P: 10 degree after top dead center, 10 degree after bottom dead center
 * 10Q: 10 degree before top dead center, 10 degree after bottom dead center
 * 10R: 10 degree after top dead center, 10 degree before bottom dead center
 * 10S: 10 degree before top dead center, 10 degree after bottom dead center
 * 10T: 10 degree after top dead center, 10 degree after bottom dead center
 * 10U: 10 degree before top dead center, 10 degree after bottom dead center
 * 10V: 10 degree after top dead center, 10 degree before bottom dead center
 * 10W: 10 degree before top dead center, 10 degree after bottom dead center
 * 10X: 10 degree after top dead center, 10 degree before bottom dead center
 * 10Y: 10 degree before top dead center, 10 degree after bottom dead center
 * 10Z: 10 degree after top dead center, 10 degree after bottom dead center

[Click to enlarge](#)